

# Preschool Language Precursors to Later Reading Problems

by Rouzana Komesidou and Tiffany P. Hogan

Language forms the basis of learning to read. The Simple View of Reading (Gough & Tunmer, 1986; Hoover & Gough, 1990) captures the contributions of language by defining reading comprehension as the product of word recognition, the ability to decode letter strings into pronounceable words, and listening comprehension, the ability to understand spoken language.

Word recognition is supported by code-related skills—phonological awareness, print and letter knowledge, and rapid naming (also referred to as rapid automatized naming or RAN) (Bishop & League, 2006; Georgiou et al., 2006). Listening comprehension is supported by oral language skills—vocabulary, grammar, inferencing, and background knowledge (Hogan et al., 2014). Word recognition contributes more to reading comprehension in the early grades when children develop their code-related skills, and listening comprehension begins to contribute more to reading comprehension around third or fourth grade, as text demands increase in content areas such as mathematics, science, and social studies (Catts et al., 2005; LARRC, 2015; Tilstra et al., 2009). Despite these differential contributions, evidence shows that word recognition and listening comprehension are interrelated and preschool is an important time for fostering children’s abilities in both components to guarantee successful reading development (LARRC & Chiu, 2018).

## Early Language Factors that Indicate Risk for Later Reading Problems

The Simple View of Reading has been used to categorize reading disabilities into three main types (Catts et al., 2003): 1) dyslexia, or difficulties with code-related skills that contribute to word recognition, 2) developmental language disorder, or difficulties with oral language, and 3) co-morbid dyslexia + developmental language disorder, or difficulties with both word recognition and language comprehension. This classification highlights that deficits in early phonological awareness, print and letter knowledge, and rapid naming are primary risk factors of poor word recognition associated with dyslexia (see Figure 1) (Hulme et al., 2015), and early deficits in oral language (i.e., vocabulary, grammar, inferencing, and background knowledge) are primary risk factors of poor listening comprehension associated with developmental language disorder (see Figure 1) (Catts et al., 2008).

Poor phonological awareness affects children’s ability to appreciate the sound structure of the language to read words accurately (Hulme et al., 2015; Torgesen et al., 1997). Difficulty with phonological awareness can be obvious in preschool when children begin learning how to manipulate sounds in spoken syllables and words. Educators and caregivers might

*Continued on page 36*




Figure 1. Preschool Risk Factors of Later Listening Comprehension Deficits and Later Word Recognition Deficits that Contribute to Reading Comprehension Problems. Note: Dotted lines indicate risk.

## Abbreviations

PA = Phonological awareness

RAN: Rapid automatized naming

notice that some children struggle with blending (e.g., put together the sounds /p/, /e/, /t/ to make the word *pet*), phoneme substitution (e.g., if you replace the /k/ sound in *cat* with the /b/ sound, you get *bat*), or rhyming (e.g., *cat* rhymes with *hat*). Difficulty in learning and remembering print conventions and names of letters is also an early indicator of word reading problems (Hulme et al., 2015). Young children who exhibit code-related difficulties might also be slower in naming aloud a series of familiar items, like letters or numbers. Rapid naming is seen as a measure of the quality of children’s phonological representations with slower rates implying incomplete representations and/or access to those representations (Norton & Wolf, 2012).

---

*Difficulty with phonological awareness can be obvious in preschool when children begin learning how to manipulate sounds in spoken syllables and words.*

---

Difficulties in oral language can also be obvious during preschool. Educators and caregivers should look for warning signs that may be attributed to children’s failure to use and understand spoken language. Some examples are use of shorter and ungrammatical sentences (e.g., *her playing*), difficulty naming objects (e.g., the child says “thing” instead of the actual word), difficulty understanding the relationships between words (e.g., elephant and giraffe are both animals), difficulty finding the right words to express one’s thoughts, difficulty following directions, and difficulty understanding what is being said during storytime or regular conversations (LARRC & Chiu, 2018; Leonard, 2014; Rudolph & Leonard, 2016).

### **Early Language Disorders that Indicate Risk for Later Reading Problems**

Having a language disorder prior to or during early reading instruction puts a child at high risk for reading problems in the future (see Figure 1). One type of language disorder is speech sound disorder, an umbrella term referring to varied deficits in speech production, such as persistent sound deletion, substitution, and/or distortion (Carroll & Snowling, 2004; Farquharson et al., 2018; Hearnshaw et al., 2018; Shriberg et al., 1997). Said another way, a child with a speech sound disorder has difficulty producing speech sounds that would be expected by his or her age. For example, a 4-year-old may say “fider” for “spider” even though the majority of his or her same-aged peers have learned how to correctly produce the /sp/ in “spider.” There is considerable evidence suggesting that children with speech sound disorder are at increased risk for word reading problems (Anthony et al., 2011; Cabbage et al., 2018; Carroll & Snowling, 2004; Hayiou-Thomas et al., 2017; Rvachew, 2007). Those most at risk have a speech sound disorder with additional deficits in code-related skills (i.e., phonological awareness,

print and letter knowledge, and/or rapid naming) or oral language (Bishop & Adams, 1990; Larrivee & Catts, 1999; Pennington & Bishop, 2009; Snowling et al., 2000). For example, if a child has speech sound disorder and shows deficits in phonological awareness, then he or she is more likely to have later word recognition problems. Similarly, if a child has speech sound disorder and shows deficits in oral language, then he or she is more likely to have delays in language comprehension.

Unlike speech sound disorder, the presence of preschool developmental language disorder alone puts children at clear risk for later reading problems. Children with developmental language disorder have difficulties understanding and/or using spoken language (Bishop et al., 2017; Leonard, 2014; Tomblin et al., 2017). They show deficits across multiple domains of language, that is, phonology, vocabulary, morphology, syntax, and pragmatics, which will impact their ability to construct meaning from written text (Catts et al., 2006; Nation et al., 2004). In addition, approximately half of children with developmental language disorder have dyslexia. When both domains of the Simple View of Reading are affected, more severe reading comprehension problems are likely to ensue (McArthur et al., 2000).

Finally, reading comprehension difficulties are frequent in children with autism spectrum disorder. Often, children with autism spectrum disorder have difficulties learning to read words and comprehend text (Nation et al., 2006; Ricketts et al., 2013). Moreover, social impairments typically seen in these children contribute to reading comprehension problems, beyond the influence of word recognition and language comprehension (Ricketts et al., 2013). Due to deficits in social cognition, children with autism spectrum disorder are often unable to decipher social and communicative norms from written text or understand the mental states and intentions of story characters.

---

*Formal assessments are available to measure risk, though, importantly, most only include a few risk factors, none are 100% accurate, and all only measure risk.*

---

### **Screening for Reading Problems in Preschool**

The risk for later reading problems can be assessed in preschool by taking into account all of the risk factors shown in Figure 1. Formal assessments are available to measure risk (some resources are listed in Table 1), though, importantly, most only include a few risk factors, none are 100% accurate, and all only measure risk. Catts & Petscher (2020) propose the *Cumulative Risk and Protection Model*. In their model, risk factors add up to cumulative risk, and, importantly, protection factors may reduce a child’s risk. Taken together, risk and protection factors are both considered when determining risk for

**TABLE 1. Resources for Early Literacy Screeners**

List of early literacy screeners prepared by the Gaab lab

[https://docs.google.com/spreadsheets/d/16m40o49LZ\\_9wZi9VPAxhHFIATvhSM1mm-0oGr48jFfo/edit#gid=427370037](https://docs.google.com/spreadsheets/d/16m40o49LZ_9wZi9VPAxhHFIATvhSM1mm-0oGr48jFfo/edit#gid=427370037)

List of language screeners prepared by Bao and Hogan

[https://docs.google.com/spreadsheets/d/1o5U6QStilb0qE\\_a0wjzPeWg7\\_816GmquEagQi0XPpo/edit#gid=1925966314](https://docs.google.com/spreadsheets/d/1o5U6QStilb0qE_a0wjzPeWg7_816GmquEagQi0XPpo/edit#gid=1925966314)

National Center on Intensive Intervention Academic Screening Tools Chart

<https://charts.intensiveintervention.org/chart/academic-screening>

future reading problems. For example, if a preschool child has poor phonological awareness and RAN (i.e., risk factors) but has good oral language skills and preschool literacy instruction with an explicit focus on both early word reading and oral language (i.e., protection factors), then the risk for that child would be cumulatively lower than a child who has those risk factors and additionally, poor language and no formal preschool literacy instruction. Risk in preschool should be assessed continually until the start of formal education to best inform early education literacy instruction for each child, in preparation for enrollment in kindergarten. Ideally, knowing a child's cumulative risk will help ensure he or she is receiving the early intervention needed to stave off later reading failure, or to mitigate its negative effects. Newer screening assessments listed in Table 1, not yet published but in production, take into account a child's risk and protective factors for improved screening accuracy.

---

*Ideally, knowing a child's cumulative risk will help ensure he or she is receiving the early intervention needed to stave off later reading failure, or to mitigate its negative effects.*

---

### Stimulating Oral Language Skills in Preschool

Educators and caregivers can stimulate both early word recognition and early language comprehension skills. To stimulate early word recognition, a focus should be on sounds, letters, and how the two are connected. Because other articles in this issue review the evidence base for early word reading instruction, we will focus on stimulation of oral language skills that set the foundation for later reading comprehension.

Educators and caregivers can foster children's language development by targeting foundational language skills and higher-level language skills within the context of shared book reading. Foundational language skills include vocabulary and grammar and set the foundation for higher level language skills (Hogan et al., 2011; LARRC et al., 2019). Higher level language skills include inferencing, comprehension monitoring, and text structure knowledge (Hogan et al., 2011; LARRC et al., 2019).

To improve *vocabulary*, educators and caregivers can select new words during storybook reading (e.g., *different*), provide child-friendly definitions (e.g., *different* means not the same), use them in various contexts (e.g., dogs and whales are

*different* animals; red and green are *different* colors), and explain how new words are related to known words (e.g., *different* is the opposite of *same*) (Beck et al., 2013). It is important to provide repeated exposures to new words either through multiple occurrences in a single storybook or repeated readings of a storybook to facilitate learning (Justice et al., 2005; Storkel et al., 2017). Storybook reading is also a good way to stimulate children's grammar because written language involves more complex grammatical structures (e.g., clauses) than spoken language (Horowitz & Samuels, 1987). In addition, educators and caregivers can use well-structured conversations to expose children to correct grammatical structures (Fey et al., 2003).

Educators and caregivers can address *inferencing* by embedding questions during book reading to prompt children to fill gaps in the story using information from the text and their background knowledge (Hogan et al., 2011; LARRC, 2016). For example, after reading a story about a girl getting a bike for her birthday, an adult can ask, "How do you think Anne is feeling?" (Anne is feeling happy), "Why?" (Because she always wanted a bike), and "What do you think will happen next?" (Anne will ride her bike). *Comprehension monitoring* can be improved by identifying parts of a story that are difficult to understand and by using strategies to fix breakdowns (Hogan et al., 2011; LARRC, 2016). Strategies include using pictures and context cues, asking open-ended questions, rereading a sentence, finding the meaning of an unknown word, and using graphic organizers to organize content and ideas. Finally, educators and caregivers can promote *text structure knowledge* by asking questions about important elements of a story (e.g., characters, setting, problem, resolution), by using graphic organizers to represent the relationships between story components, and by exposing children to informational texts (Hogan et al., 2011; LARRC, 2016).

The Language and Reading Research Consortium (LARRC) developed *Let's Know!* (download from <https://larrc.ehe.osu.edu/>), a language-focused curriculum for preschool through grade 3 (LARRC, 2016; LARRC et al., 2019). The curriculum is free and is designed to promote foundational language skills (i.e., vocabulary, grammar) and higher level language skills (i.e., inferencing, comprehension monitoring, text structure knowledge) through shared book reading. Children participate in structured lessons across four unit themes (i.e., fiction, animals, earth materials, and folktales) that incorporate language-rich text and strategies to ameliorate reading comprehension.

*Continued on page 38*

*Evidence-based and systematic instruction that focuses on early word reading, foundational language skills, and higher-level language skills can mitigate the effects of language-based risk factors and support children's reading development.*

**Taking a Proactive Position**

Knowing the language-based risk factors for later reading problems and cumulative risk including protective factors, will help educators and caregivers to accurately identify children who need early language and literacy stimulation to prevent poor outcomes. Deficits in code-related (i.e., phonological awareness, print and letter knowledge, and/or rapid naming) and oral language skills are clearly linked to later reading failure. In addition, having a diagnosed language disorder in preschool, such as speech sound disorder, developmental language disorder, and autism spectrum disorder, puts a child more at risk for having deficits in code-related skills and deficits in oral language skills compared to preschool children without these disorders. Identifying early risk using age-appropriate, psychometrically sound universal screeners can pave the way for young children to receive the support they need. Moreover, evidence-based and systematic instruction that focuses on early word reading, foundational language skills (i.e., vocabulary, grammar), and higher-level language skills (i.e., inferencing, comprehension monitoring, text structure knowledge) can mitigate the effects of language-based risk factors and support children's reading development.

**References**

Anthony, J. L., Aghara, R. G., Dunkelberger, M. J., Anthony, T. I., Williams, J. M., & Zhang, Z. (2011). What factors place children with speech sound disorders at risk for reading problems? *American Journal of Speech-Language Pathology, 20*, 146–160.

Beck, I. L., McKeown, M. G., & Kucan, L. (2013). *Bringing words to life: Robust vocabulary instruction*. Guilford Press.

Bishop, D. V., & Adams, C. (1990). A prospective study of the relationship between specific language impairment, phonological disorders and reading retardation. *The Journal of Child Psychology and Psychiatry, 31*(7), 1027–1050.

Bishop, A. G., & League, M. B. (2006). Identifying a multivariate screening model to predict reading difficulties at the onset of kindergarten: A longitudinal analysis. *Learning Disability Quarterly, 29*, 235–252.

Bishop, D. V., Snowling, M. J., Thompson, P. A., & Greenhalgh, T. (2017). Phase 2 of CATALISE: A multinational and multidisciplinary Delphi consensus study of problems with language development: Terminology. *The Journal of Child Psychology and Psychiatry, 58*(10), 1068–1080.

Cabbage, K. L., Farquharson, K., Iuzzini-Seigel, J., Zuk, J., & Hogan, T. P. (2018). Exploring the overlap between dyslexia and speech sound production deficits. *Language, Speech, and Hearing Services in Schools, 49*(4), 774–786.

Carroll, J. M., & Snowling, M. J. (2004). Language and phonological skills in children at high risk of reading difficulties. *The Journal of Child Psychology and Psychiatry, 45*, 631–640.

Catts, H. W., & Petscher, Y. (2020). *A cumulative risk and protection model of dyslexia*. Pre-print: <https://edarxiv.org/g57ph>

Catts, H. W., Adlof, S. M., & Weismer, S. E. (2006). Language deficits in poor comprehenders: A case for the simple view of reading. *Journal of Speech, Language, and Hearing Research, 49*(2), 278–293.

Catts, H. W., Bridges, M. S., Little, T. D., & Tomblin, J. B. (2008). Reading achievement growth in children with language impairments. *Journal of Speech, Language, and Hearing Research, 51*(6), 1569–1579.

Catts, H. W., Hogan, T., & Adlof, S. (2005). Developmental changes in reading and reading disabilities. In H. Catts & A. Kamhi, (Eds.), *The connections between language and reading disabilities* (pp. 25–40). Erlbaum.

Catts, H. W., Hogan, T. P., & Fey, M. E. (2003). Subgrouping poor readers on the basis of individual differences in reading-related abilities. *Journal of Learning Disabilities, 36*(2), 151–164.

Farquharson, K., Hogan, T. P., & Bernthal, J. E. (2018). Working memory in school-age children with and without a persistent speech sound disorder. *International Journal of Speech-Language Pathology, 20*, 422–433.

Fey, M. E., Long, S. H., & Finestack, L. H. (2003). Ten principles of grammar facilitation for children with specific language impairments. *American Journal of Speech-Language Pathology, 12*, 3–15.

Georgiou, G., Parrila, R., & Kirby, J. (2006). Rapid naming speed components and early reading acquisition. *Scientific Studies of Reading, 10*, 199–220.

Gough, P. B., & Tunmer, W. E. (1986). Decoding, reading, and reading disability. *Remedial and Special Education, 7*(1), 6–10.

Hayiou-Thomas, M. E., Carroll, J. M., Leavett, R., Hulme, C., & Snowling, M. J. (2017). When does speech sound disorder matter for literacy? The role of disordered speech errors, co-occurring language impairment and family risk of dyslexia. *The Journal of Child Psychology and Psychiatry, 58*(2), 197–205.

Hearnshaw, S., Baker, E., & Munro, N. (2018). The speech perception skills of children with and without speech sound disorder. *Journal of Communication Disorders, 71*, 61–71.

Hogan, T., Bridges, M. S., Justice, L. M., & Cain, K. (2011). Increasing higher level language skills to improve reading comprehension. *Focus on Exceptional Children, 44*(3), 1–20.

Hoover, W. A., & Gough, P. B. (1990). The simple view of reading. *Reading and Writing, 2*(2), 127–160.

Horowitz, R., & Samuels, S. (1987). *Comprehending oral and written language*. Emerald Group.

Hulme, C., Nash, H. M., Gooch, D., Lervåg, A., & Snowling, M. J. (2015). The foundations of literacy development in children at familial risk of dyslexia. *Psychological Science, 26*(12), 1877–1886.

Justice, L. M., Meier, J., & Walpole, S. (2005). Learning new words from storybooks: An efficacy study with at-risk kindergartners. *Language, Speech, and Hearing Services in Schools, 36*(1), 17–32.

Language and Reading Research Consortium. (2015). Learning to read: Should we keep things simple? *Reading Research Quarterly, 50*, 151–169.

Language and Reading Research Consortium. (2016). Use of the Curriculum Research Framework (CRF) for developing a reading comprehension curricular supplement for the primary grades. *The Elementary School Journal, 116*, 459–486.

Language and Reading Research Consortium, & Chiu, Y. D. (2018). The simple view of reading across development: Prediction of grade 3 reading comprehension from prekindergarten skills. *Remedial and Special Education, 39*(5), 289–303.

Language and Reading Research Consortium, Jiang, H., & Logan, J. (2019). Improving reading comprehension in the primary grades: Mediated effects of a language-focused classroom intervention. *Journal of Speech, Language, and Hearing Research, 62*(8), 2812–2828.

Larrivee, L. S., & Catts, H. W. (1999). Early reading achievement in children with expressive phonological disorders. *American Journal of Speech-Language Pathology, 8*, 118–128.

Leonard, L. B. (2014). *Children with specific language impairment*. MIT Press.

McArthur, G. M., Hogben, J. H., Edwards, V. T., Heath, S. M., & Mengler, E. D. (2000). On the “specifics” of specific reading disability and specific language impairment. *Journal of Child Psychology and Psychiatry and Allied Disciplines, 41*(7), 869–874.

Nation, K., Clarke, P., Marshall, C. M., & Durand, M. (2004). Hidden language impairments in children: Parallels between poor reading comprehension and specific language impairment? *Journal of Speech, Language, and Hearing Research, 47*(1), 199–211.

- Nation, K., Clarke, P., Wright, B., & Williams, C. (2006). Patterns of reading ability in children with autism spectrum disorder. *Journal of Autism and Developmental Disorders*, 36(7), 911–919.
- Norton, E. S., & Wolf, M. (2012). Rapid automatized naming (RAN) and reading fluency: Implications for understanding and treatment of reading disabilities. *Annual Review of Psychology*, 63, 427–452.
- Pennington, B. F., & Bishop, D. V. M. (2009). Relations among speech, language, and reading disorders. *Annual Review of Psychology*, 60, 283–306.
- Ricketts, J., Jones, C. R., Happé, F., & Charman, T. (2013). Reading comprehension in autism spectrum disorders: The role of oral language and social functioning. *Journal of Autism and Developmental Disorders*, 43(4), 807–816.
- Rudolph, J. M., & Leonard, L. B. (2016). Early language milestones and specific language impairment. *Journal of Early Intervention*, 38(1), 41–58.
- Rvachew, S. (2007). Phonological processing and reading in children with speech sound disorders. *American Journal of Speech-Language Pathology*, 16(3), 260–270.
- Shriberg, L. D., Austin, D., Lewis, B. A., McSweeney, J. L., & Wilson, D. L. (1997). The speech disorders classification system (SDCS): Extensions and lifespan reference data. *Journal of Speech, Language, and Hearing Research*, 40, 723–740.
- Snowling, M. J., Bishop, D. V. M., & Stothard, S. E. (2000). Is preschool language impairment a risk factor for dyslexia in adolescence? *Journal of Child Psychology and Psychiatry and Allied Disciplines*, 41(5), 587–600.
- Storkel, H. L., Voelml, K., Fierro, V., Flake, K., Fleming, K. K., & Romine, R. S. (2017). Interactive book reading to accelerate word learning by kindergarten children with specific language impairment: Identifying an adequate intensity and variation in treatment response. *Language Speech and Hearing Services in Schools*, 48, 16–30.
- Tilstra, J., McMaster, K., van den Broek, P., Kendeou, P., & Rapp, D. (2009). Simple but complex: Components of the simple view of reading across grade levels. *Journal of Research in Reading*, 32, 383–401.
- Tomblin, J. B., Records, N. L., Buckwalter, P., Zhang, X., Smith, E., & O'Brien, M. (1997). Prevalence of specific language impairment in kindergarten children. *Journal of Speech, Language, and Hearing Research*, 40(6), 1245–1260.
- Torgesen, J. K., Wagner, R. K., Rashotte, C. A., Burgess, S., & Hecht, S. (1997). Contributions of phonological awareness and rapid automatic naming ability to the growth of word-reading skills in second-to fifth-grade children. *Scientific Studies of Reading*, 1(2), 161–185.

**Rouzana Komesidou, Ph.D.**, is a postdoctoral research fellow in the Department of Communication Sciences and Disorders and a project director at the Speech and Language (SAiL) Literacy Lab at MGH Institute of Health Professions in Boston, MA. Dr. Komesidou's research focuses on using implementation science to improve uptake of evidence-based programs for children with language and literacy impairments. Contact her through email, [rkomesidou@mghihp.edu](mailto:rkomesidou@mghihp.edu), or on Twitter, @rkomesidou.

**Tiffany P. Hogan, Ph.D., CCC-SLP**, is Director of the Speech and Language (SAiL) Literacy Lab and Professor in the Department of Communication Sciences and Disorders at MGH Institute of Health Professions in Boston, MA. Dr. Hogan studies the genetic, neurologic, and behavioral links between oral and written language development, with a focus on implementation science for improving assessment and intervention for young children with speech, language and/or literacy impairments. She is co-founder of the DLD informational website, [www.dldandme.org](http://www.dldandme.org), and she hosts a podcast, *SeeHearSpeak Podcast* ([www.seehearspeakpodcast.com](http://www.seehearspeakpodcast.com)). Contact her through email, [thogan@mghihp.edu](mailto:thogan@mghihp.edu), or on Twitter, @tiffanyphogan.

Advertisement

# Center School

Nurturing Confidence. Realizing Potential.

## Now Enrolling Students for Fall 2020!

Learn more about how your child can benefit from our personalized approach to learning.

**Grades 1 through 8  
Ninth Grade STARS Program**

**Dyslexia  
Dysgraphia  
Dyscalculia  
ADHD  
Auditory Processing Disorder  
Executive Function Disorder**

For admissions and information, please reach out to [tgetz@centerschoolpa.org](mailto:tgetz@centerschoolpa.org).



## WHAT WILL SCHOOL LOOK LIKE IN THE FALL?

Center School is fully prepared to open in the fall in a safe and healthy environment while continuing to deliver the excellence of our programming.

If Center School is mandated to close, we will immediately switch to Center School at Home without disruption to learning.

2450 Hamilton Avenue, Abington, PA 19001  
215.657.2200 | [www.centerschoolpa.org](http://www.centerschoolpa.org)